



## SAFETY DATA SHEET

### Jaundofiant Control

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Product name Jaundofiant Control  
Product number 106020

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Embalming Chemical

##### 1.3. Details of the supplier of the safety data sheet

Supplier The MazWell Group Ltd.  
Units 11/14-15 Ardglen Industrial Estate,  
Whitchurch, Hampshire,  
RG28 7BB, United Kingdom  
+44 (0)1256-893883  
+44 (0)1256-893868  
enquiries@themazwellgroup.com

##### 1.4. Emergency telephone number

Emergency telephone +44 (0)1256 893883 (Mon- Fri 9:00 am - 4:30 pm)

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification (EC 1272/2008)

Physical hazards Flam. Liq. 3 - H226  
Health hazards STOT SE 1 - H370  
Environmental hazards Not Classified

##### 2.2. Label elements

###### Hazard pictograms



Signal word Danger

Hazard statements H226 Flammable liquid and vapour.  
H370 Causes damage to organs .

## Jaundofiant Control

|   |   |
|---|---|
| <b>Precautionary statements</b>               | <p>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</p> <p>P260 Do not breathe vapour/ spray.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.</p> <p>P308+P311 IF exposed or concerned: Call a POISON CENTER or doctor.</p> <p>P403+P235 Store in a well-ventilated place. Keep cool.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p> |
| <b>Contains</b>                               | Methanol  |
| <b>Supplementary precautionary statements</b> | <p>P233 Keep container tightly closed.</p> <p>P240 Ground and bond container and receiving equipment.</p> <p>P241 Use explosion-proof electrical equipment.</p> <p>P242 Use non-sparking tools.</p> <p>P243 Take action to prevent static discharges.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P270 Do not eat, drink or smoke when using this product.</p> <p>P321 Specific treatment (see medical advice on this label).</p> <p>P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.</p> <p>P405 Store locked up.</p>              |

### 2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

|  |
|--|
| <p><b>Propane-1,2-diol</b> <span style="float: right;"><b>10 - &lt;25%</b></span></p> <p>CAS number: 57-55-6                      EC number: 200-338-0                      REACH registration number: 01-2119456809-23-XXXX</p> <p>Substance with National workplace exposure limits.</p> |
| <p><b>Classification</b></p> <p>Not Classified</p>   |
| <p><b>Methanol</b> <span style="float: right;"><b>10 - &lt;25%</b></span></p> <p>CAS number: 67-56-1                      EC number: 200-659-6</p>   |
| <p><b>Classification</b></p> <p>Flam. Liq. 2 - H225<br/>         Acute Tox. 3 - H301<br/>         Acute Tox. 3 - H311<br/>         Acute Tox. 3 - H331<br/>         STOT SE 1 - H370</p>   |

The full text for all hazard statements is displayed in Section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

**General information**                      If in doubt, get medical attention promptly.

## Jaundofiant Control

|                     |   |
|---------------------|---|
| <b>Inhalation</b>   | Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues.   |
| <b>Ingestion</b>    | Do not induce vomiting unless under the direction of medical personnel. Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention.  |
| <b>Skin contact</b> | Remove contaminated clothing and rinse skin thoroughly with water. Wash skin thoroughly with soap and water. Wash contaminated clothing before reuse. Get medical attention promptly if symptoms occur after washing. |
| <b>Eye contact</b>  | Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes and get medical attention.   |

### 4.2. Most important symptoms and effects, both acute and delayed

|                            |   |
|----------------------------|---|
| <b>General information</b> | The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Effects may be delayed.       |
| <b>Inhalation</b>          | Vapours may cause headache, fatigue, dizziness and nausea.  |
| <b>Ingestion</b>           | Symptoms following overexposure may include the following: Intoxication. Nausea, vomiting. Visual disturbances, including blurred vision. |
| <b>Skin contact</b>        | Symptoms following overexposure may include the following: May cause nausea, headache, dizziness and intoxication.                        |
| <b>Eye contact</b>         | May cause temporary eye irritation. Visual disturbances, including blurred vision.  |

### 4.3. Indication of any immediate medical attention and special treatment needed

|                             |                        |
|-----------------------------|------------------------|
| <b>Notes for the doctor</b> | Treat symptomatically. |
|-----------------------------|------------------------|

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

|                                       |  |
|---------------------------------------|--|
| <b>Suitable extinguishing media</b>   | Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. |
| <b>Unsuitable extinguishing media</b> | Do not use water jet as an extinguisher, as this will spread the fire.           |

### 5.2. Special hazards arising from the substance or mixture

|                                      |   |
|--------------------------------------|---|
| <b>Specific hazards</b>              | Flammable liquid and vapour. Forms explosive mixtures with air. |
| <b>Hazardous combustion products</b> | Carbon dioxide (CO <sub>2</sub> ). Carbon monoxide (CO).        |

### 5.3. Advice for firefighters

|  |   |
|--|---|
| <b>Protective actions during firefighting</b>        | Avoid breathing fire gases or vapours. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. |
| <b>Special protective equipment for firefighters</b> | Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.   |

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

|                             |   |
|-----------------------------|---|
| <b>Personal precautions</b> | Avoid inhalation of vapours and contact with skin and eyes. For personal protection, see Section 8. |
|-----------------------------|---|

### 6.2. Environmental precautions

|                                  |  |
|----------------------------------|--|
| <b>Environmental precautions</b> | Avoid discharge into drains and the aquatic environment. |
|----------------------------------|--|

## Jaundofiant Control

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Eliminate all sources of ignition. Wear protective clothing as described in Section 8 of this safety data sheet. Provide adequate ventilation. Absorb spillage with non-combustible, absorbent material. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Dispose of contents/container in accordance with national regulations.

### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Read and follow manufacturer's recommendations. Keep away from heat, sparks and open flame. Avoid inhalation of vapours and contact with skin and eyes.

**Advice on general occupational hygiene** Do not eat, drink or smoke when using this product. Provide eyewash station and safety shower. Wash promptly with soap and water if skin becomes contaminated. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry, cool and well-ventilated place.

### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters

#### Occupational exposure limits

##### Propane-1,2-diol

Long-term exposure limit (8-hour TWA): WEL 150 ppm 474 mg/m<sup>3</sup> total vapour and particulates

Long-term exposure limit (8-hour TWA): WEL 10 mg/m<sup>3</sup> particulate

##### Methanol

Long-term exposure limit (8-hour TWA): WEL 200 ppm 266 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 250 ppm 333 mg/m<sup>3</sup>

Sk

WEL = Workplace Exposure Limit.

Sk = Can be absorbed through the skin.

#### Propane-1,2-diol (CAS: 57-55-6)

#### DNEL

Workers - Inhalation; Long term systemic effects: 168 mg/m<sup>3</sup>

Workers - Inhalation; Long term local effects: 10 mg/m<sup>3</sup>

General population - Inhalation; Long term systemic effects: 50 mg/m<sup>3</sup>

General population - Inhalation; Long term systemic effects: 10 mg/m<sup>3</sup>

### 8.2. Exposure controls

#### Appropriate engineering controls

Observe any occupational exposure limits for the product or ingredients. Use explosion-proof ventilating equipment.

#### Eye/face protection

The following protection should be worn: Tight-fitting safety glasses. Personal protective equipment for eye and face protection should comply with European Standard EN166.

## Jaundofiant Control

|  |  |
|--|--|
| <b>Hand protection</b>                 | Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. To protect hands from chemicals, gloves should comply with European Standard EN374. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. |
| <b>Other skin and body protection</b>  | Wear appropriate clothing to prevent skin contamination.   |
| <b>Hygiene measures</b>                | Do not smoke in work area. Provide eyewash station and safety shower. Wash promptly if skin becomes contaminated. Wash contaminated clothing before reuse. Wash at the end of each work shift and before eating, smoking and using the toilet.   |
| <b>Respiratory protection</b>          | If ventilation is inadequate, suitable respiratory protection must be worn. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked.   |
| <b>Environmental exposure controls</b> | Keep container tightly sealed when not in use.   |

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

|   |  |
|---|--|
| <b>Appearance</b>                                   | Clear liquid.  |
| <b>Colour</b>                                       | Dark. Purple.  |
| <b>Odour</b>  | Mild. Alcoholic.   |
| <b>Odour threshold</b>                              | Not available.   |
| <b>pH</b>   | pH (concentrated solution): 7-8  |
| <b>Melting point</b>                                | Not available.   |
| <b>Initial boiling point and range</b>              | 91-93°C @ 760 mm Hg  |
| <b>Flash point</b>                                  | 49°C Closed cup.   |
| <b>Evaporation rate</b>                             | > 1 (butyl acetate = 1)  |
| <b>Evaporation factor</b>                           | Not available.   |
| <b>Upper/lower flammability or explosive limits</b> | Lower flammable/explosive limit: 6 % Upper flammable/explosive limit: 36.5 % |
| <b>Vapour pressure</b>                              | Not available.   |
| <b>Vapour density</b>                               | > 1  |
| <b>Relative density</b>                             | 0.99-1.01 @ 20°C   |
| <b>Solubility(ies)</b>                              | Soluble in water.  |
| <b>Partition coefficient</b>                        | Not available.   |
| <b>Auto-ignition temperature</b>                    | Not available.   |
| <b>Decomposition Temperature</b>                    | Not available.   |
| <b>Viscosity</b>                                    | Not available.   |
| <b>Explosive properties</b>                         | Not considered to be explosive.  |
| <b>Oxidising properties</b>                         | Does not meet the criteria for classification as oxidising.                  |

## Jaundofiant Control

### 9.2. Other information

Volatility 99%

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Reactivity See the other subsections of this section for further details.

#### 10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

#### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions The following materials may react with the product: Strong oxidising agents.

#### 10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

#### 10.5. Incompatible materials

Materials to avoid Strong oxidising agents.

#### 10.6. Hazardous decomposition products

Hazardous decomposition products None at ambient temperatures.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

##### Acute toxicity - oral

Notes (oral LD<sub>50</sub>) Based on available data the classification criteria are not met.

ATE oral (mg/kg) 2,727.27

##### Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) Based on available data the classification criteria are not met.

ATE dermal (mg/kg) 2,727.27

##### Acute toxicity - inhalation

Notes (inhalation LC<sub>50</sub>) Based on available data the classification criteria are not met.

ATE inhalation (vapours mg/l) 27.27

##### Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

##### Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

##### Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

##### Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

##### Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

## Jaundofiant Control

### Carcinogenicity

**Carcinogenicity** Based on available data the classification criteria are not met.

### Reproductive toxicity

**Reproductive toxicity - fertility** Based on available data the classification criteria are not met.

**Reproductive toxicity - development** Based on available data the classification criteria are not met.

### Specific target organ toxicity - single exposure

**STOT - single exposure** STOT SE 1 - H370 Causes damage to organs .

### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Based on available data the classification criteria are not met.

### Aspiration hazard

**Aspiration hazard** Based on available data the classification criteria are not met.

### **General information**

The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

### **Inhalation**

Vapours may cause headache, fatigue, dizziness and nausea.

### **Ingestion**

A single exposure may cause the following adverse effects: Intoxication. Nausea, vomiting. May cause drowsiness or dizziness. Central nervous system depression. Visual disturbances, including blurred vision.

### **Skin contact**

Irritating to skin.

### **Eye contact**

May be slightly irritating to eyes. A single exposure may cause the following adverse effects: Visual disturbances, including blurred vision.

### **Route of exposure**

Ingestion Inhalation Skin and/or eye contact

### **Target organs**

No specific target organs known.

### Toxicological information on ingredients.

#### Methanol

##### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** International Programme on Chemical Safety (IPCS) (1997) Environmental Health Criteria 196: Methanol. Geneva, World Health Organization. Toxic if swallowed.

**ATE oral (mg/kg)** 300.0

##### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** Converted acute toxicity point estimate (cATpE) Toxic in contact with skin.

**ATE dermal (mg/kg)** 300.0

##### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** Converted acute toxicity point estimate (cATpE) Toxic if inhaled.

**ATE inhalation (vapours mg/l)** 3.0

##### Skin corrosion/irritation

**Animal data** Dose: 2.5cm x 2.5cm, 20 hours, Rabbit Erythema/eschar score: No erythema (0). Oedema score: No oedema (0). Not irritating. REACH dossier information.

## Jaundofiant Control

### Serious eye damage/irritation

**Serious eye damage/irritation** Dose: 0.05 ml, 24 hours, Rabbit Not irritating. REACH dossier information.

### Skin sensitisation

**Skin sensitisation** Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising. REACH dossier information.

### Germ cell mutagenicity

**Genotoxicity - in vitro** Gene mutation: Negative.

**Genotoxicity - in vivo** Chromosome aberration: Negative.

### Carcinogenicity

**Carcinogenicity** NOAEC >1.3 mg/l, Inhalation, Mouse

### Reproductive toxicity

**Reproductive toxicity - fertility** Two-generation study - NOAEC 1.3 mg/l, Inhalation, Rat P REACH dossier information.

**Reproductive toxicity - development** Maternal toxicity: - NOAEL: 5000 mg/kg/day, Oral, Mouse Teratogenicity: - LOAEL: 5000 mg/kg/day, Oral, Mouse REACH dossier information.

### Specific target organ toxicity - single exposure

**STOT - single exposure** STOT SE 1 - H370

**Target organs** Eyes Central nervous system

### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Not classified as a specific target organ toxicant after repeated exposure.

### Aspiration hazard

**Aspiration hazard** Not relevant.

## SECTION 12: Ecological information

### 12.1. Toxicity

**Toxicity** Aquatic toxicity is unlikely to occur. However, large or frequent spills may have hazardous effects on the environment.

### Ecological information on ingredients.

#### Methanol

**Toxicity** Aquatic toxicity is unlikely to occur. Based on available data the classification criteria are not met.

### Acute aquatic toxicity

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: 15400 mg/l, Lepomis macrochirus (Bluegill)  
EC<sub>50</sub>, 96 hours: 12700 mg/l, Lepomis macrochirus (Bluegill)  
REACH dossier information.

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, 96 hours: 18260 mg/l, Daphnia magna  
REACH dossier information.

**Acute toxicity - aquatic plants** EC<sub>50</sub>, 96 hours: ~ 22000 mg/l, Pseudokirchneriella subcapitata  
REACH dossier information.



## Jaundofiant Control

**Acute toxicity - microorganisms** IC<sub>50</sub>, 3 hours: >1000 mg/l, Activated sludge  
REACH dossier information.

### Chronic aquatic toxicity

**Chronic toxicity - fish early life stage** NOEC, 200 hours: 7900 mg/l, Oryzias latipes (Red killifish)  
REACH dossier information.

### 12.2. Persistence and degradability

**Persistence and degradability** The degradability of the product is not known.

### Ecological information on ingredients.

#### Methanol

**Phototransformation** Water - DT<sub>50</sub> : 17.2 days  
REACH dossier information.

**Biodegradation** Water - Degradation (95%): 20 days  
Water - Degradation (91%): 15 days  
Water - Degradation (88%): 10 days  
Water - Degradation (76%): 5 days  
REACH dossier information.  
The substance is readily biodegradable.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

**Partition coefficient** Not available.

### Ecological information on ingredients.

#### Methanol

**Bioaccumulative potential** BCF: 4.5, Cyprinus carpio (Common carp)

**Partition coefficient** log Pow: -0.77 REACH dossier information.

### 12.4. Mobility in soil

**Mobility** Mobile.

### Ecological information on ingredients.

#### Methanol

**Mobility** Mobile.

**Adsorption/desorption coefficient** Soil - Koc: 0.13-0.61 @ 6°C

**Henry's law constant** 0.461 Pa m<sup>3</sup>/mol @ 25°C

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### Ecological information on ingredients.

#### Methanol

## Jaundofiant Control

**Results of PBT and vPvB assessment** This substance is not classified as PBT or vPvB according to current EU criteria.

### 12.6. Other adverse effects

Other adverse effects None known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal methods** Containers should be thoroughly emptied before disposal because of the risk of an explosion. Dispose of contents/container in accordance with national regulations.

## SECTION 14: Transport information

### 14.1. UN number

|                  |      |
|------------------|------|
| UN No. (ADR/RID) | 1993 |
| UN No. (IMDG)    | 1993 |
| UN No. (ICAO)    | 1993 |
| UN No. (ADN)     | 1993 |

### 14.2. UN proper shipping name

|                                |                                     |
|--------------------------------|-------------------------------------|
| Proper shipping name (ADR/RID) | FLAMMABLE LIQUID, N.O.S. (METHANOL) |
| Proper shipping name (IMDG)    | FLAMMABLE LIQUID, N.O.S. (METHANOL) |
| Proper shipping name (ICAO)    | FLAMMABLE LIQUID, N.O.S. (METHANOL) |
| Proper shipping name (ADN)     | FLAMMABLE LIQUID, N.O.S. (METHANOL) |

### 14.3. Transport hazard class(es)

|                             |    |
|-----------------------------|----|
| ADR/RID class               | 3  |
| ADR/RID classification code | F1 |
| ADR/RID label               | 3  |
| IMDG class                  | 3  |
| ICAO class/division         | 3  |
| ADN class                   | 3  |

### Transport labels



### 14.4. Packing group

|                       |     |
|-----------------------|-----|
| ADR/RID packing group | III |
| IMDG packing group    | III |
| ICAO packing group    | III |
| ADN packing group     | III |

### 14.5. Environmental hazards

## Jaundofiant Control

### Environmentally hazardous substance/marine pollutant

No.

#### 14.6. Special precautions for user

|  |          |
|--|----------|
| EmS                                    | F-E, S-E |
| ADR transport category                 | 3        |
| Emergency Action Code                  | •3YE     |
| Hazard Identification Number (ADR/RID) | 33       |
| Tunnel restriction code                | (D/E)    |

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not relevant.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

|                             |  |
|-----------------------------|--|
| <b>National regulations</b> | Health and Safety at Work etc. Act 1974 (as amended).<br>The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].<br>EH40/2005 Workplace exposure limits.  |
| <b>EU legislation</b>       | Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).<br>Commission Regulation (EU) No 2015/830 of 28 May 2015.<br>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). |

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

### SECTION 16: Other information

|   |   |
|---|---|
| <b>Classification abbreviations and acronyms</b>                        | Flam. Liq. = Flammable liquid<br>STOT SE = Specific target organ toxicity-single exposure |
| <b>Classification procedures according to Regulation (EC) 1272/2008</b> | STOT SE 1 - H370: : Calculation method. Flam. Liq. 3 - H226: : Expert judgement.          |
| <b>Training advice</b>  | Only trained personnel should use this material.  |
| <b>Revision comments</b>  | Revised regulations.  |
| <b>Revision date</b>  | 31/07/2019  |
| <b>Revision</b>   | 5   |
| <b>Supersedes date</b>  | 30/08/2016  |
| <b>SDS number</b>   | 654   |

## Jaundofiant Control

|                                  |   |
|----------------------------------|---|
| <b>Hazard statements in full</b> | H225 Highly flammable liquid and vapour.<br>H226 Flammable liquid and vapour.<br>H301 Toxic if swallowed.<br>H311 Toxic in contact with skin.<br>H331 Toxic if inhaled.<br>H370 Causes damage to organs . |
|----------------------------------|---|

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.